

RV Type:

# ENTRADA 2200S



**Instruction Manual**

**ENGLISH**



# CONTENTS

Canadian Traffic Rules and Road Signs .....	4
Traffic Rules.....	4
Road Signs.....	6
Cabin .....	7
Ignition Switch .....	7
Battery Boost Switch.....	7
Automatic Transmission .....	7
Tow/Haul.....	7
Cruise Control .....	7
Parking Brake (Emergency Brake/Hand Brake).....	8
Back up and blind spot camera .....	8
Cockpit Entertainment Center .....	8
Vehicle Care and Maintenance .....	8
Gasoline .....	8
Engine Oil.....	8
Tires.....	8
Vehicle Specifications .....	10
External View .....	11
Awning.....	12
Electrical System.....	12
Generator .....	14
Interior Control Panel .....	15
Propane Tank .....	15
Water System.....	16
Wastewater.....	17
Heating/Air Conditioning.....	18
Dinette Table/Bed Combination .....	20
Kitchen.....	20
Fridge/Freezer .....	20
Slide-Out.....	21
Safety Equipment.....	22
Smoke Detector/Carbon Monoxide Alarm .....	22
Fire Extinguisher .....	22
Propane Detector/Alarm .....	22
Returning the Vehicle .....	23

Dear Vacationers,

Thank you for choosing us for your motorhome rental while spending your vacation in Canada. We hope you will have a great and relaxing time!

Your FRASERWAY & FOUR SEASONS Team



## ROADSIDE ASSISTANCE

If you experience any problems with your RV, please call your **Fraserway & Four Seasons OnRoad Support Service**. Our emergency service is available at **1-866-535-6601** and **1-604-636-3057**. Emergency service hours are:

<b>Monday - Friday</b>	<b>4:00</b>	<b>am</b>	<b>-</b>	<b>9:00</b>	<b>pm</b>	<b>PST</b>
<b>Saturday, Sunday, Holiday</b>	<b>6:00</b>	<b>am</b>	<b>-</b>	<b>6:00</b>	<b>pm</b>	<b>PST</b>

Please note that the time zone for above hours is that of British Columbia and Yukon (Pacific Standard Time or UTC-8, daylight saving time: UTC-7).

Outside these times, your call will be answered by an external call center and assigned to us. We will then contact you as soon as possible during normal business hours.

**Fraserway & Four Seasons-OnRoad-Service**  
**1-866-535-6601 and 1-604-636-3057**  
**is available from April 1<sup>st</sup> until October 31<sup>st</sup>, 2024!**

**Necessary information for calling Fraserway & Four Seasons-On Road Service**  
**1-866-535-6601 and 1-604-636-3057**

When calling our OnRoad Support Service, please have the following information ready in order for our support team to assist you as efficiently as possible:

**Your RENTAL AGREEMENT NUMBER**

(This RENTAL AGREEMENT NUMBER can be found in the upper left corner of your rental agreement)

**OR**

**Your UNIT NUMBER**

(This UNIT NUMBER can be found on your key tag)

**Your exact current location**

(Province, city, street/intersection, campsite, pitch number)

**AND**

**Your further travel plans.**

(Province, cities for the next 2 to 3 days)

**Please describe the problem as detailed as possible!**

**IMPORTANT: Without the information above we are not able to identify you and might not be able to contact you if you have to leave a message.**

**Thank you for your assistance!**

## IN CASE OF AN ACCIDENT

Find out if anybody has been injured whom you have to take care of first.

If there are injuries or larger material damages, call the police and, if necessary, an ambulance. The emergency number to call is 911.

Inform your Fraserway/Four Seasons-OnRoad-Service of the accident.

Exchange all necessary information with the persons involved in the accident.

Record the following information at the scene of the accident, using the accident report form in your Fraserway manual.

Your notes should include names, addresses, phone numbers, insurance names and policy numbers, driver's license numbers and vehicle information incl. license plate numbers. If the driver's name is different from the name of the insured, find out which relationship the persons have, and note the names and addresses of both persons. Also note the description of the vehicles involved incl. model year, brand, type and color. Note the street names, intersections and street numbers. Also helpful are ID numbers of any present police officers and their incident number.

In any case, take pictures of the scene of the accident and of all vehicles involved. If possible, pictures should include all damages to all vehicles involved. If there are any uninvolved witnesses, note their names. This may be very important if the accident ends up in a legal dispute with another party to the accident.

	Phone No.	Monday - Friday	Saturday	Sunday/Holiday
<b>Fraserway / Four Seasons OnRoad Support Service</b>	<b>1-866-535-6601* and 1-604-636-3057 (times as shown above!)</b>			
<b>Police/Ambulance</b>	911	24/7	24/7	24/7
Ford Roadside Assistance	<u>Within Canada:</u> 1-800-665-2006* <u>Within the U.S.:</u> 1-800-241-3673*	24/7	24/7	24/7
Kal Tire 24-Hour Roadside Assistance <sup>1</sup>	<u>Within Canada:</u> 1-888-525-8473* <u>Within the U.S.:</u> Not available in the U.S.	24/7	24/7	24/7

<sup>1</sup> Kal Tire is not available in the provinces of Newfoundland, Labrador, New Brunswick, Prince Edward Island and Nova Scotia. Please note that with \* marked phone numbers are toll-free from a Canadian land line. If you call from your cell phone, your phone provider may charge a fee, which we have no influence on.

# CANADIAN TRAFFIC RULES AND ROAD SIGNS

## TRAFFIC RULES

### ALCOHOL AND DRUGS

Permitted blood alcohol levels are mandated by the provinces and territories. Please do not drive under the influence of alcohol and/or drugs!

### TRAFFIC LIGHTS



Traffic lights are suspended across the intersection. Left turn arrows indicate that you can safely turn left while the oncoming traffic is still stopped at a red light.

After you have come to a complete stop and made sure the intersection is clear of all vehicles, cyclists and pedestrians, you may turn right despite a red light in the U.S. and Canada except for the island of Montreal in Québec. Exceptions are often limited to certain times and clearly posted as below.



**Example on the left:** Turning right is prohibited on red.

**Example on the right:** Turning right is prohibited from Monday to Friday, 7AM - 9AM and 4PM - 6PM (no matter whether there are traffic lights or not).



### SEAT BELT

Canadian and U.S. laws require driver and all passengers to be seated with the seat belt fastened when the vehicle is in motion.

### SPEED LIMITS

The Speed limit in most urban areas is 50 km/h, and on highways either 80 or 100 km/h, unless otherwise posted.

### PEDESTRIANS

Canadian drivers are usually very polite and considerate. Pedestrians have the right of way.

### DRIVER'S LICENSES

We require your national license for RV rentals. Foreign licenses are generally accepted in Canada. However, we recommend carrying an international driver's license in addition, unless your original license is issued in English or French.

### GPS SYSTEMS AND HEIGHT RESTRICTIONS

Your RV's external dimensions and gross vehicle weight (GVW) are shown on a windshield sticker and in the manual. GPS systems do not provide any information on height restrictions on your planned route. Always check restriction signs for tunnels, overpasses, gas stations, roof constructions, ferries, etc.! A drive-thru at fast food outlets or entry ways to hotels/motels is generally too low for RV's!

**As a general rule: the minimum clearance must be 3.70 m or 12 ft. for all of our vehicles.**

### HOV LANE (HIGH OCCUPANCY VEHICLE LANE)

HOV lanes are for vehicles with two or more people inside. These lanes may only be used by vehicles that carry the minimum required number of people. The HOV lane symbol is a diamond, which is indicated on many HOV signs and above all, on HOV lanes. Example of signs:



**Left:** HOV lane for buses and vehicles with at least 3 people starts here.

**Right:** From 5AM to 11PM, this lane is an HOV lane for buses and vehicles with at least 3 people only. During the time from 11PM to 5AM, this lane may also be used by vehicles with fewer people.



<p><b>Fraserway RV's allowed on HOV lanes:</b></p> <ul style="list-style-type: none"> <li>• Van Conversion</li> <li>• Truck Camper</li> <li>• C-Small</li> </ul>	<p><b>Fraserway RV's NOT allowed on HOV lanes:</b></p> <ul style="list-style-type: none"> <li>• Adventurer 4, Overlander</li> <li>• C-Medium, C-Large, C-XLarge</li> <li>• A-Class</li> </ul>
--	---

## PARKING

Regulations vary from province to province. As a general rule, parking is only permitted in the driving direction of the traffic lane. Parking is not permitted within 6 meters either side of:

- Pedestrian crossings
- Curves or corners
- Entrance/Exit of hotels, theatres, public meeting places, schools, fire departments, playgrounds
- Stop signs
- Fire hydrants
- Traffic control signals

<b>CAUTION:</b>	A yellow curb side generally marks a no-parking zone. If your vehicle uses more payable parking spots, you have to pay for the number of spots used!
-----------------	--

## EMERGENCY VEHICLES

If a police car, fire truck or ambulance with flashing lights and/or sirens is approaches (from ahead or the rear), pull over to the right and wait until the vehicles have passed.

If you are stopped by a police car, pull over to the right, remain seated, open the window and wait for the officer to approach. Keep your hands visible on the steering wheel and follow the orders of the officer.

## STOP SIGNS



You must always come to a complete stop at the stop line. The driver that arrived at a 4-way stop first has the right-of-way. When two cars arrive at the same time, yield to the car on your right-hand side.

The same rule applies if traffic lights are not working. Canadians are usually disciplined and courteous.

Only one car at a time can cross the intersection.

## TOLL BRIDGES

If you are aware that you have crossed a toll bridge on your journey, please inform us upon return of the RV to avoid additional administrative charges. Fraserway RV will be billed directly by the company responsible for collecting the toll fee.



Some crossings will require direct payment on the spot. Please use the truck lane to avoid any height restriction issues.

## ACCIDENTS

Most accidents happen while parking the RV. This damage can be easily avoided if a passenger gets out of the vehicle to help the driver to maneuver by giving directions. Never settle or admit any wrongdoing at the accident scene! If needed call the Police. If possible, make notes, take pictures and exchange information with the other party.

Always call our OnRoad-Service and fill in the accident report, which you will find in the "Emergency" section of the instruction manual. The police will not attend to minor accidents without personal injury.

## SCHOOL BUSES



Canadian school buses are yellow. They signal to stop all traffic (no passing!) using flashing red lights and/or a swing-out stop sign. It is against the law to pass a stopped school bus. All traffic must come to a halt to ensure children can get on and off the bus safely. Once the signals have been turned off and/or the stop sign has been pulled, the traffic can move again in both directions. Failure to obey this traffic rule is a serious offence. Only if the road is separated by a median, can the oncoming traffic slowly proceed without stopping.

## ROAD SIGNS



One way street



Pedestrians are not allowed to cross the street here.



Crossing the road is only permitted at crosswalks.



Do not enter.



Vehicles parked in this zone without a permit will be towed.



Road is closed. The arrow points in the direction of the detour.



From this point, do not change lanes until further notice.



Authorized vehicles only (buses, emergency vehicles, etc.).



No parking on either side of the sign. If the arrow points in one direction only, do not park on the side it points to.



No stopping on either side of the sign.



This road or lane is for bicycle use only.



This road or lane is for buses only.



Private property. No parking.



Turn headlights on and remove sunglasses (common at tunnel entrances).




No parking from 8:30AM to 5:30PM. Parking is allowed during the remaining hours.



No parking except on Sundays and on holidays.



No parking. Loading zone.



Parking on both sides of sign daily 8:30AM - 5:30PM for 2 hours. Parking disks are not used in Canada.



Drivers travelling in opposite directions share the centre lane for left turns.



On multi-lane highways: Sign in combination with exit signs means that a lane ends and becomes the exit lane.



Control signal: Placed over lanes to indicate which ones are open for driving. Here: RED = do not drive in Right Lane.



YELLOW: Move into one with a green arrow. If flashing yellow over all lanes: Slow down and proceed with caution.




Green arrow: Drive in this lane.

## CABIN

All vehicles are equipped with automatic transmission, power steering and power brakes. The V8 engine displacement is 7.3 liters and an output of 325 horsepower.

## IGNITION SWITCH

The ignition switch has 5 different key positions:



- Position A (Accessory)** allows electrical accessories (radio etc.) to operate while the engine is not running.
- Position B (Lock)** turns off the engine and locks the steering wheel in place.
- Position C (Off):** The ignition is off.
- Position D (On):** All electrical circuits are operational. Warning lamps and indicators are illuminated.
- Position E (Start)** cranks the engine. Please release the key as soon as the engine starts.

## BATTERY BOOST SWITCH

The Battery Boost Switch enables jump-starting the engine from the coach batteries when the engine battery is drained. This switch is located to the left of the steering wheel below the parking brake release lever. If the battery is too low to start the engine, press and hold the Battery Boost/Auxiliary Start switch while turning the ignition switch and release it when the engine starts.



## AUTOMATIC TRANSMISSION

The gear selector is to the right of the steering wheel. The instrument cluster displays its current position. Your foot must be depressing the brake pedal to shift from P (park) to R (reverse) or D (drive). The gear selector has the following positions:

<b>P</b>	PARK	to start or turn off the engine. <u>The key can only be pulled in this position.</u>
<b>R</b>	REVERSE	to reverse the vehicle. The rear-view camera is activated automatically.
<b>N</b>	NEUTRAL	Select this position for towing only!
<b>D</b>	DRIVE	Most efficient for all normal driving conditions.
<b>M</b>	Manual	can be used to step the transmission up or down through the gears manually. When you shift from "D" to "M", the shift indicator in the instrument panel will indicate the current gear.
<b>2</b>	2 <sup>nd</sup> gear	To accelerate on slippery surfaces.
<b>1</b>	1 <sup>st</sup> gear	Allows for maximum engine braking. Does not shift into 1 <sup>st</sup> gear at high speeds!

<b>CAUTION:</b>	We strongly recommend using D in all driving situations!
-----------------	--

## TOW/HAUL



The Tow/Haul function optimizes the shifting performance and reduces the potential for transmission overheating or failure due to excessive shifting when driving in mountainous areas. This provides extra power when going uphill and braking assistance from the engine when going downhill to reduce the risk of overheating the vehicle's brakes. Select this function by pressing the button at the end of the shift lever.

## CRUISE CONTROL

The vehicle is equipped with cruise control. It will only engage at a speed of minimum 50 km/h. Don't use it in mountainous terrain. Increased shifting will lead to increased fuel consumption and could result in transmission damage.



### PROGRAMMING

- 1.** Turn cruise control on using the **ON** button.
- 2.** Accelerate with **SET +** until you reached the desired speed. Release the button and speed currently reached will be maintained. As well you can speed up using the foot pedal. As soon as the desired speed is reached briefly press the **SET +** button.
- 3.** You can reduce the speed by pressing **SET -**.
- 4.** If you have to brake and then wish to resume the previous speed, press **RES**, and the vehicle automatically accelerates until it reaches that speed.
- 5.** Press **CANCEL** to pause the cruise control.
- 6.** Press **OFF** button to turn off the cruise control.

## PARKING BRAKE (EMERGENCY BRAKE/HAND BRAKE)

- ① To engage the parking brake, press the foot pedal.
- ② Parking brake release lever (pull to release).
- ③ Emergency starter.
- ④ Hood release lever (pull to open hood).



## BACK UP AND BLIND SPOT CAMERA



The RV is equipped with a backup camera and blind spot cameras in your side mirrors. The back up camera will come on when you shift into the reverse gear. As well you can see your blind spots when you use your turn signals.

<b>CAUTION:</b>	Never back up without guidance from another person! The back up camera is not a “replacement” for somebody who gives you guidance!
-----------------	--

## COCKPIT ENTERTAINMENT CENTER



The RV is equipped with a radio with different functions. To see details, please visit the following web page:

<https://www.sony.ca/en/electronics/in-car-receivers-players/dsx-a415bt>

## VEHICLE CARE AND MAINTENANCE

### GASOLINE

The engine requires **REGULAR UNLEADED GAS** (Octane 87). Please use big-brand stations for refuelling, such as Esso, Shell, Chevron, Husky, Petro Canada, Irving, etc. The fuel available at independent stations is often of a lower quality which can cause problems by clogging fuel pumps, etc., resulting in trip disruption and expensive repairs.



### ENGINE OIL

The engine oil level must be checked every 1500 kms. The engine should be cold when its oil level is checked. **ONLY SAE 5W30 OIL** can be used for topping up. Please keep receipts for oil that is purchased for reimbursement upon return of the vehicle. Thank you for your care and attention.

<b>CAUTION:</b>	The renter is liable for ALL damage resulting from use of improper fuel, oil, or other engine fluids. If you have any questions, doubts or concerns, please call our OnRoad-Service.
-----------------	--

### OIL CHANGE INDICATOR LIGHT ILLUMINATES

We change the oil of our vehicles every 12,000 kms according to the manufacturer’s recommendation. The oil change light may illuminate earlier as it is programmed to a different schedule. The odometer reading of the last oil change is indicated on a sticker on the windshield. If the window sticker indicates that an oil change is due, please call our OnRoad-Service for direction to an authorized auto repair shop. Please keep receipts for all oil purchases and present them for reimbursement upon return of the vehicle.

### TIRES

## TIRE CHECK

Please check the tire pressures regularly. The tires should be cold when the pressure is checked! The recommended tire pressure is indicated on a sticker inside the driver-side door frame. The wheel nuts should be visually checked every time you leave a campground.

## CHANGING THE TIRES

Tires should only be changed by authorized personnel of the FORD Road-Side Assistance program or of Kal Tire 24-Hour Service. Please contact our OnRoad-Service whenever a tire change is required. These numbers are listed in the "Emergency" appendix. Please only attempt to change a wheel if there is no way to contact us for assistance. Changing a wheel is at your own risk. The wheel nuts of the changed wheel must be checked after 100 kms or sooner and retightened if necessary. Failure to do so could cause serious accidents.

<b>WARNING:</b>	The renter is liable for damages resulting from improper tire change or non-performed checks.
-----------------	---

## STORAGE LOCATION FOR TIRE CHANGE TOOLS

The tools needed for the tire change can be found in one of the rear outside compartments of the motorhome.

## VEHICLE SPECIFICATIONS

Motorhome Class	Class C – 2200S
Chassis	Ford E350
Engine	Eight-cylinder (V8)
Roof air conditioner	Yes
Microwave	No
Convection oven	Yes
Oven	No
3-point-seat belts at dinette	Yes
Bathroom vent	Yes
TV	Yes
DVD player	No
Rear dual tires	Yes
Generator	Yes
Side slide-out	Yes
Rear slide out	No
Sleeps	5
Seat belts	6
Fuel type	Gasoline
Engine oil type	5W30 oil
Bumpers	Steel
Locking lug nuts	Not available
Number of axles	2
Spare tire	Yes, located at the back of the RV
Tire size	225/75RX16E
Tire pressure	Please see label in the door frame on driver side!
Jack/Tools	Located in an outside compartment.
Fire extinguisher	Yes, located next to the entrance door.
Sewer hose	Located in an outside compartment.


<b>Dimensions &amp; weight</b>	Metric system	Imperial system
Height (incl. all superstructures)	343 cm	11'3"
Width	257 cm	8'5"
Width with slide-out extended	361 cm	11'10"
Length	727 cm	23'10"
<b>Gross vehicle weight (GVW</b> - i.e., weight incl. full fuel, propane, wastewater and water tanks, maximum number of persons allowed, and luggage)	5,670 kg	12,500 lbs.

<b>Fill capacity</b>	Metric system	Imperial system
Freshwater tank	132 liters	35 gallons
Gray water tank	121 liters	32 gallons
Black water tank	102 liters	27 gallons
Fuel tank (gasoline)	208 liters	55 gallons
Propane Tank	34 liters	9 gallons
<b>Total weight of all tanks when full</b>	597 liters	158 gallons

### Interior specifications

<b>Beds</b>	Included	Metric system	Imperial system
Overcab bed	Yes	152 cm x 203 cm	60" x 80"
Rear bed	Yes	152 cm x 203 cm	60" x 80"
Dinette bed	Yes	106 cm x 172 cm	42" x 68"
Interior room height		213 cm	84"

## EXTERNAL VIEW



1. Generator	9. Service ladder (please do not climb on the roof!)	17. Black water handle
2. Propane tank	10. MaxAir fan	18. Furnace fan – caution: HOT!
3. Water heater cover – caution: HOT!	11. City water connection	19. Power outlet
4. Sewer flusher (please do not use!)	12. Light	20. Awning
5. 110V power connection for electrical hook-up	13. Freshwater tank/potable water	21. Back up camera
6. Fuel tank (regular unleaded gas, Octane 87)	14. Cable TV connection	22. Spare tire
7. Storage compartment	15. Slide out with slide out topper	
8. Wastewater outlet and gray water handle	16. Solar panel	



## AWNING

Our vehicles are equipped with an awning. The operating switches are located next to the entrance door.



### IMPORTANT:

- Never use the awning in stormy weather or in strong winds!
- The awning must be retracted when the RV is left unattended.
- Before extending the awning make sure that sufficient space is available.
- Do not reposition the vehicle with the awning extended, and always be sure the awning is retracted before driving!
- Ensure that the awning lighting is switched off when not needed it or when its retracted as it draws power from the coach battery if left switched on.
- If the awning will not extend or retract simply turn off the main power switch of the house batteries, wait 10 seconds and then turn it back on again. This will reset the electric system and the awning should operate again.

① Awning Extend ② Awning Retract ③ Awning light

**CAUTION:** Any damage as a result of improper operation of the awning is the renter's sole responsibility.

## ELECTRICAL SYSTEM

### 12V DUAL BATTERY SYSTEM

The RV is equipped with a 12V dual battery system. The vehicle battery (provides power to the engine and driver's cabin) and coach batteries (providing power to the living area of the motorhome) are both charged by the alternator while you are driving but discharge independently from each other. The coach batteries of your motorhome are located under one of the entrance door steps.

### BATTERY SWITCH POSITION



The main switch for turning the coach batteries on and off is located directly next to the side entrance door at floor level. This switch must be in the **ON** position to supply 12-volt power to the appliances and living area. When there is no power in the living area, always check to see if this switch may have been set to OFF accidentally and reset to ON if necessary.

**12V appliances:** Lighting, water heater and pump, fan heater, awning, bathroom vent, fridge.

### HOOK-UP TO THE POWER GRID (110V)

A power cable is provided with the RV for connecting the vehicle to the 110V power hook-up at campsites. The regular plug is for a 30AMP connection which is standard at most campgrounds. An adapter is provided for occasions when only 15AMP connection is available. All electrical appliances in the RV and the hook-up at the campsite should be switched OFF before you connect the RV. Use the 110V hook-up whenever possible in order to preserve and recharge the coach batteries.



### CAUTION:


Please do not overload the coach batteries. They cannot sufficiently recharge if they lose too much voltage. Once the charge has reached a very low level, the alternator can no longer recharge them simply by driving. In that case they must be recharged using the exterior power cable (110V) on the campground for at least 8 hours. We are not responsible for any cost or lost time due to overloaded coach batteries.

### CONVERTER

A power converter automatically converts 110V power to 12V power for use by 12V appliances. The converter is located in the fuse box. No manual operation is required as it is fully automatic.

## FUSES & FUSEBOX


The fuses for the internal 12V or 110V power circuit are located in the fuse box ① in the kitchen area (floor level).



## 12V PLUG-IN (BLADE-TYPE) FUSES ②



The 12V plug-in fuses protect the inside and outside lighting, water heater, water pump, heater fan, fans, bathroom vent, fridge, and awning. If an appliance doesn't work, a fuse might be blown. When the connecting wire in the middle of the fuse is broken the fuse has to be changed. Our motorhomes are equipped with spare fuses which are usually placed in one of the kitchen drawers.



## 110V BREAKERS ③

The 110V fuses secure power to the microwave, roof air conditioner and AC power outlets. If one of these appliances does not work, this may be due to a tripped breaker. Please check, and if this is the case, first fully switch the breaker into the OFF position and then back into the ON position.



## POWER OUTLETS & RESET BUTTON

By connecting to a 110-volt power supply or with the help of the generator, the living area is supplied with power and the built-in sockets can be used. If your sockets still do not work, the reset button ① located in the bathroom socket may have popped out. Push it back in and now check the sockets.



## CONVECTION OVEN

A minimum of 110V/15AMP hook-up is required to operate the convection oven. If a 15AMP connection is used and, in addition to the convection oven, other 110V appliances are turned on, there is a risk of a circuit overload, which might cause the main fuse (110V breaker) to trip. To operate multiple 110V appliances we recommend a 30AMP connection.

## ROOF AIR CONDITIONER

A 110V/30AMP hook-up is required to run the air conditioner.

## Troubleshooting: Power Supply

Problem	Cause/Solution
No power from the power outlets	<ul style="list-style-type: none"> <li>- Vehicle is not connected to 110V</li> <li>- 110V power source at campground is not working</li> <li>- Broken power cord</li> <li>- Tripped breaker</li> <li>- Reset button tripped</li> </ul>
No power at all in the living area or only when the engine is running	<ul style="list-style-type: none"> <li>- Main power switch is OFF (page 11, battery switch position)</li> <li>- Coach battery level is too low and the batteries need to be charged by driving or connection to 110V</li> </ul>
Smell of rotten eggs	Please open all windows and doors, turn off the propane, and check if there is a leak in the propane system. If this is not the case, your coach batteries may have been overloaded. A propane leak must be repaired in a repair shop, and an overheated battery must be replaced. Please contact our OnRoad-Service, and we will make an appointment for you.

## GENERATOR

The motorhome is equipped with an integrated generator supplying your vehicle with 110V power (AC) even when it is not connected to the power grid on the campground. The generator will also charge the coach batteries. Powered by gasoline from the RV's gas tank, the generator consumes approximately 1 liter per operating hour. The generator does not start or switches off automatically as soon as the fuel level drops below ¼. Please do not use generators while driving!




To turn ON the generator	Turning the Generator OFF
<ol style="list-style-type: none"> <li>1. Turn off all electrical devices.</li> <li>2. Press the switch STOP/PRIME ② and hold it for approximately 10 seconds.</li> <li>3. Now Press the switch to the START position ① until the generator starts.</li> <li>4. After 30 to 40 seconds, you will hear a beeping sound coming from the microwave. The power circuit is now closed.</li> </ol>	<ol style="list-style-type: none"> <li>1. Turn off all electrical devices.</li> <li>2. Press the STOP switch ② and the generator will stop.</li> </ol>



### Troubleshooting: Generator

Problem	Cause/Solution
Generator does not start	<ul style="list-style-type: none"> <li>– The fuel tank level is below ¼.</li> <li>– Start button pressed not long enough. Has to be pressed for approx. 10 seconds (sometimes longer).</li> <li>– Weak coach battery. Start the engine and then the generator.</li> <li>– Blown or burnt fuse. Please check the fuses in the box and on the generator, and replace fuses if required</li> </ul>
Fuse is tripped	The circuit is overloaded. If too many appliances are used simultaneously, the fuse may be tripped while the generator is running. Please turn off the appliances, check the 110V breaker in the fuse box, and restart the generator. If all breakers in the fuse box are in the ON position, please check the breaker right on the generator (see picture below).



- ① Please remove the blue generator cover to check the breakers on the side of the generator. There is also a start switch above it directly on the generator.
- ② START switch
- ③ Generator breakers

### SAFETY INSTRUCTIONS:


1. Never use the generator compartment as storage. Keep the compartment clean and dry at all times.
2. Do not use the generator when the motorhome is parked in high grass or in scrubby terrain because the heat of the exhaust fumes can cause a fire in dry conditions.
3. Do not touch the generator while it is running or shortly after until it cools down.

## SOLAR SYSTEM

The RV is equipped with a solar system on the roof, which recharges the coach battery when exposed to sunlight. The solar system is automated and does not require manual operation. Please do not make any changes to the default settings on the control panel.




## INTERIOR CONTROL PANEL



- 1 Level indicator tanks
- 2 Level indicator battery
- 3 Press button to see level
- 4 Generator control
- 5 Propane water heater
- 6 Water pump
- 7 Tank heater (for winter camping only!)
- 8 Livingroom lights
- 9 Kitchen lights
- 10 Slide out control
- 11 Driver side lights

## PROPANE TANK

Stove top burners, water heater and furnace are fuelled by propane. The RV is equipped with an integrated propane tank located underneath the vehicle. Main valve (1), tank inlet (2) and level indicator (3) are located directly on the tank.



We provide the first tank of propane. It may be necessary to refill the propane tank as required during a trip at your own cost. Propane can be refilled at many gas stations and some private campgrounds. The service personnel will do the refilling for you. Self-service of propane is prohibited for safety precautions. The propane tank does not need to be full when you return the vehicle.

<b>CAUTION:</b>	<p>If used properly, propane use is very safe. Nevertheless, all of our vehicles are equipped with a propane detector that triggers an alarm when an elevated concentration of propane is detected in the air. Propane is highly flammable and explosive. Therefore, please be sure to strictly follow the operating instructions for all propane-operated devices in the vehicle.</p> <p>If you notice a typical smell of sulfur or rotten eggs, or if the propane alarm sounds, extinguish all open flames immediately, do not operate any electrical switches, and please close the main valve of the propane tank. Then immediately open all windows and doors. Once the alarm stops, make sure that all switches on the propane cooker are properly turned off, i.e., are in the OFF position.</p> <p><b>In such cases, avoid open fire under all circumstances!</b></p> <p>Prior to refuelling, propane refilling or ferry rides, the main valve of the propane tank <b>MUST</b> be closed. All propane-operated appliances, such as stove and heater, must be turned off first.</p>
-----------------	--

### Troubleshooting: Propane

Problem	Cause/Solution
Propane operation of appliances does not work.	<ul style="list-style-type: none"> <li>– The propane valve on the tank is closed. Please open the valve.</li> <li>– The propane tank is empty. Please refill.</li> </ul>
No propane supply after the main valve has been turned open following refilling or a ferry trip.	Please open the valves very slowly because otherwise the safety shut-off valve, may be triggered preventing the propane from flowing to the end devices. Allow 1 to 2 minutes for the propane to reach the devices. If the shut-off valve has been triggered, please close the propane tank valve (turn lock). Then reopen the propane tank valve slowly.

Problem	Cause/Solution
Propane alarm is triggered or there is a smell of sulfur or rotten eggs inside the RV.	Immediately close the main valve on the propane tank. There may be a leak in the system. Open doors and windows so that any propane can escape to the outside. Avoid open fire under any circumstances until the smell has dissipated, and do not operate any electrical switches. The system must be inspected by a technician. If there is no problem with the propane system, the smell may indicate a coach battery overload or short circuit. If this is the case, you should be able to see a white powder (sulphuric acid) on or around the battery. Please do NOT touch it, because the acid is corrosive! Please call our OnRoad-Service so that we can arrange for an appointment with a technician.

## WATER SYSTEM

### CITY WATER CONNECTION

The RV can be connected directly to the pressurized freshwater system of the campground with the provided water hose and pressure regulator. Please note the following steps:

1. Please ask the campground staff for the water pressure at their sites. Use of the pressure regulator is required for pressures of 40 PSI or higher.
2. Connect one end of the water hose to the city water connection at the driver side of the RV.
3. Connect the other end of your water hose to the water pressure regulator and the regulator to the water tap of the camp site when the water pressure is 40 PSI or higher. If the pressure is lower than 40 PSI, connect the other end of the hose directly to the tap. Please use regulator when pressure is not known.
4. Please open the water tap of the camp site half a turn only to avoid excess pressure on the water lines of the RV when not using the pressure regulator.
5. Open all water taps of your RV slowly to ventilate the pipes.



### FRESHWATER TANK (POTABLE WATER/TANK FILL)

The RV is equipped with an integrated freshwater tank. Please refer to the "Vehicle Specifications" chapter for tank capacities. The water tank must be refilled regularly from the outside using a water hose. The tank inlet is labelled "Potable Water" or "Tank Fill".



<b>CAUTION:</b>	Never empty the freshwater tank entirely because this may damage the water pump. Renters are liable for damage expense and/or loss of time resulting from insufficient water tank level.
-----------------	--

### Troubleshooting: Freshwater Tank

Problem	Cause/Solution
Freshwater tank remains empty despite refilling.	Be sure not to confuse the freshwater tank inlet (passenger side) with the city water connection or the sewer flush (both at the driver side). The freshwater tank does not automatically refill through the city water connection but must be refilled separately.

### WATER PUMP

To draw water from the water tank for freshwater supply, the water pump switch needs to be in the ON position. The switch for the water pump is on the battery and tank indicator panel. Please turn off the pump while you are driving, if you do not use it for an extended time or when you are using the city water connection. It may overheat and you will be liable for any resulting damages.



## Troubleshooting: Water Pump

Problem	Cause/Solution
Water pump does not start.	<ol style="list-style-type: none"> <li>1. The 12 Volt plug-in fuse is blown. Please check the 12V plug-in fuses and replace where necessary.</li> <li>2. The battery voltage is too low. Please check the coach battery level on the battery and tank indicator panel, and if necessary, recharge the battery.</li> <li>3. The pump is faulty. Please call our OnRoad-Service.</li> </ol>
Constant “grunting” sound from the pump.	<ol style="list-style-type: none"> <li>1. Water tank is empty. Please refill.</li> <li>2. Loose connection in the water system. Please call our OnRoad-Service.</li> </ol>

## WATER HEATER

The RV is equipped with a propane-operated water heater. The water heater cannot be refilled manually but fills automatically using the cold water available in the internal freshwater tank or city water connection. Turn the water heater switch **①** on. The red LED **②** will illuminate and go off after approx. 15 seconds. You can hear that the propane flame ignites at the heater. The water reaches a temperature of approx. 50°C to 60°C (120°F to 140°F) and requires a heating time of approx. 20 - 30 minutes.



**CAUTION:** It is important that the water heater is turned off while you are driving!

## Troubleshooting: Water Heater

Problem	Cause/Solution
The water heater LED does not illuminate when the water heater is turned on.	<ul style="list-style-type: none"> <li>– Water is already hot.</li> <li>– 12V plug-in fuse for the water heater has blown.</li> <li>– Reset needed at the water heater itself</li> </ul>
The water heater does not work at all.	<ul style="list-style-type: none"> <li>– Not enough propane.</li> <li>– Not enough power because coach battery level is too low.</li> </ul>

## SHOWER

The shower heads have a slider (right picture). It stops the water flow temporarily to help save water while having a shower.



## Troubleshooting: Shower


Problem	Cause/Solution
The water in the shower does not run off.	<ul style="list-style-type: none"> <li>– The gray water tank is full. Please empty it as soon as possible.</li> <li>– The shower drain is clogged up. Please remove any residue blocking the drain.</li> </ul>

## WASTEWATER

The RV is equipped with two separate wastewater tanks. The gray water tank holds the wastewater drained from the sinks and shower. The black water tank holds waste flushed down the toilet. Please use plenty of water with each flush of the toilet to prevent clogging.

**The tank capacities are limited. Tanks must therefore be emptied regularly.**

## EMPTYING THE WASTEWATER TANKS



1. Remove cap from the sewer outlet ①.
2. Screw on sewer hose using bayonet joint.
3. Put sewer hose in dump pit.
4. Open black valve ②, located on the PASSENGER SIDE, leave it open.
5. Open gray valve ③ on the DRIVER SIDE, leave it open.
6. Flush with at least 2 buckets of water through the toilet.
7. Close gray and black drain valve.
8. Remove and store sewer hose.
9. Close cap.

<b>CAUTION:</b>	<ul style="list-style-type: none"> <li>– NEVER leave the vehicle unattended while draining the wastewater tank.</li> <li>– Do not leave the drain valves open, even if you have a permanent sewer connection, as it will eventually clog up the system. Any resulting damage is the responsibility of the renter.</li> <li>– The wastewater can only be emptied at designated disposal stations. These DUMPING, SANI or DISPOSAL stations can be found on most campgrounds, at some gas stations and rest areas along main roads and highways. The wastewater tanks should be emptied regularly (every two or three days).</li> </ul>
-----------------	---

### Troubleshooting: Wastewater Tanks

Problem	Cause/Solution
The RV is hooked up to the city water connection and water comes out of the toilet and/or the ventilation pipe on the roof.	You accidentally connected the water hose to the sewer flush. Turn off the water and connect the hose to the "City Water" hook-up.
The wastewater tanks are indicated to be full although they have just been emptied.	<ul style="list-style-type: none"> <li>– Paper, grease or food can get stuck on the sensors inside the tank causing false readings.</li> <li>– There is no clog if water can be heard running through the sewer hose.</li> </ul>

## HEATING/AIR CONDITIONING

The RV furnace runs on propane. However, the fan runs on electrical power. The fan will operate on both 12V and 110V (shore power). It is preferable to have a power hook-up in order to heat the RV.

<b>CAUTION:</b>	<ul style="list-style-type: none"> <li>– Don't let your heater run for an extended period of time WITHOUT being on shore power. If your vehicle is not connected to a 110V power grid, the heater/fan can overload the system. The fan consumes a lot of power and can quickly drain the coach batteries. The renter is liable for repairs due to battery overload and/or any time loss.</li> <li>– The RV will need 110V/30AMP in order to operate the roof air condition.</li> </ul>
-----------------	--

## THERMOSTAT

Furnace and air conditioner are operated by a joint thermostat. The display indicates the mode and the room temperature. The display of this **Dometic Capacitive Touch Thermostat** will come on when the mode button is pressed once. It will show the **Inside Temperature** in **OFF mode** only!

### Fan Mode Setting:

Press the mode key ① until the fan mode (Fan) is activated. Press the key ② or ③ to set the fan to **AUTO**! On **LOW** or **HIGH** furnace and AC will come on at the same time!



### Mode of Operation:

Press the mode button **①** to switch between the available air conditioning (COOL) and heating (HEAT) modes. To change the setting, press the **③** key to increase the setting and the **②** key to decrease it.

The air conditioning unit in the ceiling of the RV has no controls. Some have sliders like in the picture to open or close vents.



### Troubleshooting: Heater

Problem	Cause/Solution
The heater blows cold air.	<ul style="list-style-type: none"><li>– The set temperature has already been reached</li><li>– Main valve of propane tank is closed</li><li>– Propane tank is empty</li><li>– Fan setting is on LOW or HIGH, please turn to AUTO!</li></ul> If fridge and stove are working there is no problem with the propane supply!
The heater fan does not start.	<ul style="list-style-type: none"><li>– Empty coach batteries.</li><li>– Loose wire/contact in thermostat. Please call our OnRoad-Service.</li></ul>
Furnace fan comes on and shuts off after 20-30 seconds	<ul style="list-style-type: none"><li>– Sail switch needs to be cleaned, please see further instruction below!</li></ul>

### FURNACE SAIL SWITCH CLEANING

Being in an outdoor environment these switches will gather lint just like an indoor furnace does. They need to be cleaned off. If your furnace fan comes on and shuts off after about 20-30 seconds this is a sign in may need to be cleaned. Here is the procedure.

1. Turn off furnace thermostat on wall.
2. Turn off battery switch at entrance door
3. Remove furnace cover plate on outside wall of motorhome, remove the screws and pull the plate off **①**.
4. Turn off reset switch.
5. You will now see two blue wires attached to the sail switch **②**. Remove the two screws.
6. You can now remove the switch, carefully wiggle it out **③**. The dust and lint will be collected by the silver plate you see now. Carefully clean it off. The silver plate moves if you shake the switch. It presses against a small button. Blow in it to remove any dust or lint that may be interfering with it.

**NOTE:** Sometimes the inside of this switch collects dust. It is held together by the two silver screws. Remove the screws and open it up. Clean out any dust and reassemble.

7. Reinstall switch, ensure you did not detach any wires. Turn reset switch back on.
8. Reinstall furnace cover plate.
9. Turn on battery switch at entrance and turn on furnace.



### ROOF FAN WITH REMOTE CONTROL AND RAIN SENSOR

In addition to the AC your RV is equipped with a roof fan, to control by a remote. The roof fan has an integrated rain sensor as well.



## DINETTE TABLE/BED COMBINATION



Our motorhomes dinette area can be converted into a bed. Below the tabletop is a lever, which needs to be flipped from right to left. You can manually fold down the tabletop ① by applying light pressure on it. Press it down to the ledges ② on both benches and lock the lever again. The newly created surface is covered with the provided cushions ③ to form a bed.

## KITCHEN

### COOKING

The kitchen is equipped with a propane operated stove top ① and an electric microwave/convection oven ②.



The burners of the stove have no safety valves. The propane is flowing when an element is turned up but has not been lit. Please always make sure that the flames of the burners are not extinguished by a draft of air or the like and propane escapes unnoticed. Turn the appropriate knob counterclockwise all the way to the LIGHT position to ignite the burner. To extinguish the flame, turn the appropriate burner knob clockwise to the OFF position.

To use the microwave/convection oven it is necessary to be connected to an external 110V power source or to run the generator!

### FRIDGE/FREEZER

The RV is equipped with a 12V powered fridge/freezer combination (EVER CHILL SRD-360WTG-ED). For the recommend settings ③ you will find control panels in the freezer ① and the fridge ②:



③

Temperature Setting Recommendation		
	Freezer compartment	Fresh food compartment
Summer	 Set Left side	 Set on 2
Spring & Autumn	 Set on Optimal	 Set on 3
Winter	 Set Right Side	 Set on 3

<b>CAUTION:</b>	1. Make sure that your coach batteries are always charged! This fridge is running on 12V battery power only!
	2. Park the RV in a level spot. Incline positions can damage the fridge.
	3. Always make sure to close the fridge and freezer doors properly.
	4. Don't overload fridge and freezer to allow a good air circulation.

### ALARM INDICATORS:

	Fault display	Item information	Suggestion
1	Fridge sensor fault	Indicator light "1" keeps flashing	Please call the OnRoad Support at 1-866-535-6601. We need to make an appointment with a technician.
2	Ambient temperature sensor fault	Indicator light "2" keeps flashing	Please call the OnRoad Support at 1-866-535-6601. We need to make an appointment with a technician.
3	Freezer defrosting sensor fault	Indicator light "3" keeps flashing	Please call the OnRoad Support at 1-866-535-6601. We need to make an appointment with a technician.
4	Undervoltage alarm	Indicator light "4" keeps flashing	Make sure that the batteries are charged!
5	Overvoltage alarm	Indicator light "5" keeps flashing	Please call the OnRoad Support at 1-866-535-6601. We need to make an appointment with a technician.
6	Fan failure	Indicator light "1" and "3" keeps flashing	Please call the OnRoad Support at 1-866-535-6601. We need to make an appointment with a technician.

## SLIDE-OUT

Your motorhome is equipped with a slide-out. You can operate it as follows:

1. Park the RV on level surface, and with sufficient clearance.
2. Put gear shift into PARK (P), engage the parking brake and have the engine running.
3. The switch for the slide-out operation is located at the control panel near the entrance door.
4. **EXTENDING THE SLIDE-OUT:** Press and hold the switch into the **IN** position for 3 – 5 seconds, press and hold **OUT** until the slide-out is fully extended. Hold it for 3 – 5 seconds longer and then release.
5. **RETRACTING THE SLIDE-OUT:** Press and hold the switch into the **OUT** position for 3 – 5 seconds, press and hold **IN** until the slide-out is fully retracted. Hold it for 3 – 5 seconds longer and then release.




<b>CAUTION:</b>	Please have no heavy items or people in the slide-out while operating. The motor of the slide-out may overheat and be damaged.
-----------------	--

### Troubleshooting: Slide-Out

Problem	Cause/Solution
Slide-out does not move	<ul style="list-style-type: none"> <li>• Main power switch is off</li> <li>• Coach battery power is too low</li> <li>• Engine is not running and parking brake is not engaged</li> <li>• Gear shift is not in (P) park position</li> <li>• Circuit breaker (30 amp) in the fuse box is tripped</li> <li>• Objects under or on top that prevent the slide-out from moving</li> </ul> <p>When you get no power to the slide-out you can try</p> <ul style="list-style-type: none"> <li>• to press the battery boost button at the dash while operating the slide-out</li> <li>• perform a manual reset of the slide-out. Please see instructions below!</li> </ul>
Slide-out moves uneven	Hold the switch for 2 seconds after full extension or retraction.

The slide-out module **①** is located under the drawers of the wardrobe beside the slide-out **②**. Press the Mode button **③** quickly six times in a row, and on the seventh time keep it pressed until the LEDs starts flashing. Now release the Mode button. Now use the normal control switch **④** to operate the slide-out.



If the reset does not have the desired result, first disconnect the white cable **⑤** (power connection) from the module and wait for 30 seconds before reconnecting it. Repeat this step with the ground cable **⑥** (red or black). Now try to operate the slide-out. If this procedure does not help retract the slide-out, the problem may be due to moisture in the slide-out module. Try eliminating the moisture using a hairdryer (only in dry weather!) and then repeat the above steps.

## SAFETY EQUIPMENT

### SMOKE DETECTOR/CARBON MONOXIDE ALARM



Each RV is equipped with a combined carbon monoxide alarm/smoke detector. This alarm sounds if an excess carbon monoxide concentration (CO) is measured in the air.

CO is a colorless and odorless gas, which can escape if, for example, there is a malfunction in the burner system. Sources of carbon monoxide include open flames (stove, oven, furnaces). Therefore, always make sure that the RV is well-ventilated while cooking appliances are in use, i.e., please open a skylight and/or window.

If the alarm device repeatedly emits individual beeps in certain intervals without triggering an alarm, this indicates that the batteries have reached the end of their life and need to be replaced. Please replace them to ensure that the smoke detector continues to function. Please keep all receipts for such expenses and present them upon return of the RV for reimbursement.

### FIRE EXTINGUISHER

A fire extinguisher is part of the safety equipment in each of our motorhomes. Please refer to the "Vehicle Specifications" chapter for its location.

### PROPANE DETECTOR/ALARM



Each RV is equipped with a propane detector, which is always located near the floor. The alarm goes off whenever an increased propane emission (e.g. from the stove or oven) is detected. Please do not place any objects near the propane detector to avoid false alarms.

Please note that the propane alarm is connected to the coach battery, and if the level of batteries is too low, the alarm emits a beep every 30 seconds. In that case, the coach battery must be recharged to ensure continued safety in the vehicle.

#### **In the event of an alarm:**

In the event of an alarm, please turn off the propane supply on the propane tank, open all windows and doors, and wait outside of the RV until the alarm stops. Once the alarm has stopped, please check if the control knobs on the stove and oven are off and no propane escapes unnoticed.

## RETURNING THE VEHICLE

### TIME

Please return the vehicle **READY FOR INSPECTION** to your rental station at the latest time stated in the rental agreement to ensure it can be properly maintained and cleaned for our next customer. Allow sufficient time for packing. The next renter will appreciate it.

### TANKS

When returning the vehicle, the black and gray water tanks must be **EMPTY**, and the fuel tank must be **FULL**.

### FINAL CLEANING

Please return the vehicle in good condition and with the interior reasonably clean. We take pride in the condition our vehicles, investing a lot of time on their maintenance and cleaning.

### NO SMOKING

Smoking is not allowed in our vehicles! Violators will be fined according to our “Terms & Conditions”.

### EXTRA CHARGES

If the vehicle is returned late without prior approval by our rental station, an hourly late fee is charged according to our “Terms & Conditions”. We will charge fees for emptying the wastewater tanks, refueling the fuel tank and cleaning of the vehicle’s interior according to our “Terms & Conditions”.

<b>CAUTION:</b>	Renters are fully liable for any traffic violations committed during your rental. Please pay your ticket upon your return at the rental station. For payment delays, a processing fee is charged in addition to the actual ticket amount. The fees are listed in our “Terms & Conditions”. Thank you for your understanding.
-----------------	--

If you have any questions or concerns, please don’t hesitate to contact us. Your rental team would like to thank you and wish you a pleasant time with our Recreational Vehicle.

Your FRASERWAY & FOUR SEASONS Team



#### Disclaimers:

Features, components and appliances depicted in this manual may differ from your rental motorhome depending on the model year. All features, components, appliances, materials, instructions, and guidance depicted and/or described in the manual and documentation are as accurate as possible at the time of creation and initially published but may not be accurate as a result of your rental motorhome having been assembled on a date after the manual or document was produced and initially published. Fraserway RV LP reserves the right to make changes, substitutions and improvements to its products without prior notification. This manual is for demonstrative purposes only. If you are still unsure on how to properly operate any appliance or feature addressed by the manual or documentation, please consult with your local Fraserway RV rental branch directly. This manual is ©2024 Fraserway RV LP, and all related marks, logos, and model names are owned by Adventurer Manufacturing LP and Fraserway RV LP, Inc. or its licensor(s). No portion of this manual may be copied, altered, published, displayed, broadcast, or otherwise used without the express permission of Fraserway RV LP, Inc. All rights reserved.

Version: JAN152024